888

Item Maintenance

Functional Group=QG

Purpose: This Draft Standard for Trial Use provides the format and establishes the data contents of the Item Maintenance Transaction Set (888) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set is used to enable a manufacturer, supplier, broker, or agent to provide detailed finished goods product information to a partner in a consumer goods market. This transaction set can be used to provide information about new products or changes in existing product specifications. Price changes will not be sent with this transaction set, but can be sent with the Price Change Transaction Set (879).

Federal Note:

- 1. Organizations use this transaction set to provide storage facilities with data record changes for items of supply.
- 2. Use one occurrence of this transaction set to transmit a single or multiple transactions.
- 3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS.

DLMS Note:

- 1. Use a single occurrence of this transaction set to transmit record changes to one or more storage facilities. This transaction encompasses the functionality of MILSTRAP DI Code DZB.
- 2. DLSS functionality allows for Service or Agency data in various RP(s). Data conveyed therein will require Service or Agency identification to DLMSO and incorporation into the DLMS.
- 3. Users operating under the Defense Logistics Management system (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Accounting Classification Appendix which can be found on the Defense Logistics Management Standards Office (DLMSO) web site at http://www.dla.mil/j-6/dlmso.
- 4. This DLMS Supplement contains:
- a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with DLMSO prior to use.
- b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with DLMSO prior to use.
- c. Defense Logistics Standard System (DLSS) data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed DLSS/DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with DLMSO for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
- d. Data elements which have an expanded files size above existing DLSS capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with DLMSO prior to use.
- 5. This revision to the DLMS Supplement (DS) incorporates Proposed DLMS Changes (PDCs) and Approved DLMS Changes (ADCs) listed. PDCs and ADCs are available from the DLMSO website: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp
- ADC 77, Air Force Unique Management Coding for Material Management Aggregation Code
- ADC 152, Administrative Revisions to DLMS Supplement 888I, Storage Item Correction and 867D, Demand (Supply)
- ADC 295, Use of DLMS Qualifier for Local Stock Number/Management Control Numbers
- ADC 307, Administrative Update to DLMS, Vol 2, Chapter 6, Physical Inventory Control and DLMS Supplements (DS) 846P, 846R, and 888I (Supply/MILSTRAP)

Heading:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
10	ST	Transaction Set Header	M	1			Must use
15	BGN	Beginning Segment	0	1			Must use
LOOP ID -	0100				<u>>1</u>	N1/20L	
20	N1	Name	М	1		N1/20	Must use
* 30	N2	Additional Name Information	0	1			Not Used
* 40	N3	Address Information	0	2			Not Used
* 50	N4	Geographic Location	0	1			Not Used
* 60	N9	Reference Identification	0	10			Not Used
* 70	G61	Contact	0	3			Not Used
* 80	NTE	Note/Special Instruction	0	20			Not Used

004010F888I1IA03 1 November 6, 2008

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 85	G93	Price Bracket Identification	0	50			Not Used
86	G62	Date/Time	M	1			Must use
LOOP ID -	0200				<u>>1</u>		
90	LM	Code Source Information	0	1			Must use
100	LQ	Industry Code	M	100			Must use

Detail:

<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
<u>)300</u>				<u>>1</u>		
G53	Maintenance Type	M	1			Must use
G62	Date/Time	0	3		N2/20	Used
NTE	Note/Special Instruction	0	20			Not Used
<u>)310</u>				<u>>1</u>		
G39	Item Characteristics - Vendor's Selling Unit	М	1			Must use
G69	Line Item Detail - Description	0	5			Not Used
QTY	Quantity	0	>1			Not Used
G23	Terms of Sale	0	10			Not Used
G62	Date/Time	0	2			Not Used
G36	Price List Reference	0	1			Not Used
G26	Pricing Conditions	0	2			Not Used
G43	Promotion/Price List Area	0	9999			Not Used
G24	Promotion Reference	0	999			Not Used
G40	Bracket Price	0	99			Not Used
G93	Price Bracket Identification	0	50			Not Used
G22	Pricing Information	0	5			Not Used
G46	_	0	99			Not Used
H1	Hazardous Material	0	5			Not Used
G54	Module Description	0	99			Not Used
	-	0				Must use
	Unit Detail	0	10			Not Used
MEA	Measurements	0	10			Used
TD1	Carrier Details (Quantity and Weight)	0	1			Not Used
311	<i>G 7</i>			>1		
	Name	0	1	<u> </u>		Must use
		0				Not Used
	Address Information	0	2			Not Used
		0	1			Not Used
	Pallet Information	0	>1			Not Used
0312				>1		
	Item Characteristics - Consumer	0	1			Not Used
-00	Unit	J	•			
G69	Line Item Detail - Description	0	5			Not Used
QTY	Quantity	0	1			Not Used
) <u>313</u>				<u>>1</u>		
LM	Code Source Information	0	1			Must use
LQ	Industry Code	М	100			Must use
SE	Transaction Set Trailer	М	1			Must use
	G53 G62 NTE 310 G39 G69 QTY G23 G62 G36 G26 G43 G24 G40 G93 G22 G46 H1 G54 N9 UIT MEA TD1 N1 N2 N3 N4 PAL 0312 G55 G69 QTY	G53 Maintenance Type G62 Date/Time NTE Note/Special Instruction 3310 G39 Item Characteristics - Vendor's Selling Unit G69 Line Item Detail - Description QTY Quantity G23 Terms of Sale G62 Date/Time G36 Price List Reference G26 Pricing Conditions G43 Promotion/Price List Area G24 Promotion Reference G40 Bracket Price G93 Price Bracket Identification G22 Pricing Information G46 Promotion Allowance/Charge H1 Hazardous Material G54 Module Description N9 Reference Identification UIT Unit Detail MEA Measurements TD1 Carrier Details (Quantity and Weight) 3311 N1 Name N2 Additional Name Information N3 Address Information N4 Geographic Location PAL Pallet Information 0312 G55 Item Characteristics - Consumer Unit G69 Line Item Detail - Description QTY Quantity 3313 LM Code Source Information Industry Code	G53	Sage Sage	Sage	Signature Sign

Notes:

1/20L One iteration of the N1 loop should be used to identify the buying party (BY) to establish the area or location for which the item maintenance applies.

- 1/20 One iteration of the N1 loop should be used to identify the buying party (BY) to establish the area or location for which the item maintenance applies.
- 2/20 The G62 segment is used to specify the effective date for the item maintenance action reflected in G5301.

Transaction Set Header

Pos: 10 Max: 1

Heading - Mandatory

Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Element Summary:

Ref ST01	<u>ld</u> 143	Element Name Transaction Set Identifier Code	<u>Req</u> M	<u>Type</u> ID	Min/Max 3/3	<u>Usage</u> Must use	<u>Rep</u> 1
		Description: Code uniquely identifying a Transaction Set					
		CodeName888Item Maintenance					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		Federal Note: A unique number assigned by the originator of the transaction set, or the originator's application program.					

Elements: 4

BGN Beginning Segment

Pos: 15 Max: 1 Heading - Optional

Loop: N/A

User Option (Usage): Must use

Purpose: To indicate the beginning of a transaction set

Syntax Rules:

1. C0504 - If BGN05 is present, then BGN04 is required.

Semantics:

- 1. BGN02 is the transaction set reference number.
- 2. BGN03 is the transaction set date.
- 3. BGN04 is the transaction set time.
- 4. BGN05 is the transaction set time qualifier.
- 5. BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
BGN01	353	Transaction Set Purpose Code	M	ID	2/2	Must use	1
		Description: Code identifying purpose of transaction set					
		Code Name Original Simulation Exercise DLMS Note: Use to identify a simulated mobilization exercises must ensure of recipients must use extreme caution documents which affect accountable	complete o to ensure	coordination	with all activities	s involved. All transa	
BGN02	127	Reference Identification	М	AN	1/30	Must use	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Federal Note: Use code "Z" for this data element to satisfy mandatory X12 syntax requirements.					
BGN03	373	Date Description: Date expressed as CCYYMMDD	M	DT	8/8	Must use	1
		Federal Note: This date corresponds to the Universal Time Coordinate (UTC).					
BGN07	640	Transaction Type Code	0	ID	2/2	Must use	1
		Description: Code specifying the type of transaction					
		Code Name A1 Storage Item Data Change DLMS Note: Use to identify a Storage Item Data Change	Correction	/Change Tr	ansaction (MII	STRAP DI Code D75	3

functionality.)

Name

Pos: 20 Max: 1 **Heading - Mandatory** Loop: 0100 Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

Federal Note:

N103

66

Must use this 1/N1/020 loop to identify the organization originating the transaction set.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use	1
		Description: Code identifying an organizational entity, a physical location, property or an individual Federal Note: Use any code.					
		DLMS Note: For DLMS use, only the following code is authorized.					
		Code Name					

KΑ Item Manager

DLMS Note:

Identification Code Qualifier

Must use to identify the Inventory Control Point (ICP) or Integrated Material Manager (IMM) that provides the storage facility with data record changes.

ID

1/2

Must use

1

X

Description: Code designating the system/method of code structure used for

Identification Code (67)

Code Name

D-U-N-S Number, Dun & Bradstreet

DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix

DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

10 Department of Defense Activity Address Code (DODAAC)

DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

M4 Department of Defense Routing Identifier Code (RIC)

DLMS Note:

- 1. The RIC is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the RIC in a full DLMS environment will be assessed at a future date. Typically under the DLMS, the RIC will be replaced with a DoDAAC or a commercial identifier.
- 2. Future Streamlined data; see introductory DLMS note 4c.

DLMS Supplem	ent to Federa	al IC 888I Storage Item Correction			ADC 77, 15	52, 295 and 307 D	OoD 4000.25-M
N104	67	Identification Code	Χ	AN	2/80	Must use	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Must use	1
		Description: Code identifying an organizational entity, a physical location, property or an individual					

Code Name

FR Message From

Federal Note:

Must use in conjunction with 1/N101/020 code KA to indicate the organization cited in N104 is originating the transaction set.

G62 Date/Time

Pos: 86 Max: 1
Heading - Mandatory
Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

Federal Note:

Must use to identify the time of transaction set preparation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
G6203	176	Time Qualifier	Χ	ID	1/2	Must use	1
		Description: Code specifying the reported time					
		Code WNameWEffective Time					
G6204	337	Time	X	TM	4/8	Must use	1

Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

Federal Note: 1. Use to identify the time of transaction set preparation in UTC.

2. Express time in a four-position (HHMM) format.

Code Source Information

Pos: 90 Max: 1 Heading - Optional

Loop: 0200 Elements: 1

User Option (Usage): Must use

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Must use this 1/LM/090 loop to identify coded information maintained in department or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1

Description: Code identifying the agency

assigning the code values

Code Name

DF Department of Defense (DoD)

Loop: 0200

Elements: 2

LQ Industry Code

Pos: 100 Max: 100 Heading - Mandatory

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

Federal Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Must use	1

Description: Code identifying a specific

industry code list

Federal Note: Use any code.

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

0 Document Identification Code

DLMS Note:

- 1. The DLSS DI Code is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the DI Code in a full DLMS environment will be assessed at a future date.
- 2. Future Streamlined data; see introductory DLMS note 4c.
- 79 Priority Designator Code
- A9 Supplemental Data

Federal Note:

Use to identify supplemental address/data.

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

AJ Utilization Code

DLMS Note:

- 1. Under DLSS, this is the first position of the document serial number.
- 2. DLMS enhancement; see introductory DLMS note 4a.

LQ02 1271 Industry Code X AN 1/30 Must use 1

Description: Code indicating a code from

a specific industry code list

G53 Maintenance Type

Pos: 10 Max: 1
Detail - Mandatory

Loop: 0300 Elements: 1

User Option (Usage): Must use

Purpose: To identify the specific type of item maintenance

Element Summary:

<u>Ref</u> **Element Name** Min/Max <u>Usage</u> <u>ld</u> <u>Req</u> **Type** <u>Rep</u> G5301 875 **Maintenance Type Code** ID 3/3 Μ Must use 1

Description: Code identifying the specific

type of item maintenance

Code Name001 Change

DLMS Note:

Use to identify catalog information changes.

G62 Date/Time

Pos: 20 Max: 3

Detail - Optional Loop: 0300 Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

Federal Note:

Use to identify the date all indicated changes are effective.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
G6201	432	Date Qualifier	X	ID	2/2	Must use	1
		Description: Code specifying	ng type of date				
		Federal Note: Use any code	е.				
		DLMS Note: For DLMS use following codes are authorized	•				
		Code Name					
		07 Effective Date					
		BB Transaction Control D	Date				
		DLMS Note:					
		Use to identify the d	late of transaction preparat	tion.			
G6202	373	Date	X	DT	8/8	Must use	1
		Description: Date expresse	ed as				

CCYYMMDD

G39 Item Characteristics - Vendor's Selling Unit

Pos: 40 Max: 1

Detail - Mandatory

Loop: 0310 Elements: 6

User Option (Usage): Must use

Purpose: To identify a vendor's selling unit or to provide physical characteristics relative to a vendor's selling unit

Syntax Rules:

- 1. R0102 At least one of G3901 or G3902 is required.
- 2. P0203 If either G3902 or G3903 is present, then the other is required.
- 3. P050607 If either G3905, G3906 or G3907 are present, then the others are required.
- 4. P0607 If either G3906 or G3907 is present, then the other is required.
- 5. P0809 If either G3908 or G3909 is present, then the other is required.
- 6. P1011 If either G3910 or G3911 is present, then the other is required.
- 7. P1213 If either G3912 or G3913 is present, then the other is required.
- 8. P1415 If either G3914 or G3915 is present, then the other is required.
- 9. P1819 If either G3918 or G3919 is present, then the other is required.
- 10. P2324 If either G3923 or G3924 is present, then the other is required.
- 11. P2526 If either G3925 or G3926 is present, then the other is required.

Federal Note:

Use the 2/G39/040 loop to identify specific changes contained in the transaction.

Element Summary:

Ref	<u>ld</u>	Element Name	<u>Req</u>	Type	Min/Max	<u>Usage</u>	Rep
G3902	235	Product/Service ID Qualifier	Χ	ID	2/2	Must use	1

Description: Code identifying the

type/source of the descriptive number used

in Product/Service ID (234)

Federal Note: Use any code.

DLMS Note: 1. Use only one of codes A1, A2, A4, FB, FS, MG, YP or ZZ to identify the material affected by the catalog/stock list change. Must use National Stock Number (NSN) (code FS) when known, except when appropriate brand name subsistence items are identified by the Subsistence Identification Number.

2. For DLMS use, only the following codes are authorized.

Code Name

A1 Plant Equipment Number

DLMS Note:

- 1. Use to identify plant equipment.
- 2. DLMS enhancement. See introductory DLMS note 4a.
- A2 Department of Defense Identification Code (DoDIC)

DLMS Note:

- 1. Use to identify ammunition items.
- 2. DLMS enhancement. See introductory DLMS note 4a.
- A4 Subsistence Identification Number

DLMS Note:

Use to identify subsistence items.

004010F888I1IA03 13 November 6, 2008

Code Name

FB Form Number

DLMS Note:

- 1. Use to identify the form stock number.
- 2. DLMS enhancement. See introductory DLMS note 4a.
- FS National Stock Number
- MG Manufacturer's Part Number

DLMS Note:

Use to identify nonstandard material.

YP Publication Number

DLMS Note:

- 1. Use to identify the publication stock number.
- 2. DLMS enhancement. See introductory DLMS note 4a.
- ZZ Mutually Defined

DLMS Note:

Use to identify nonstandard material when all other authorized codes do not apply or cannot be determined (includes management control numbers and locally assigned control numbers). May be used for DLSS-to-DLMS conversion when the translator cannot determine a more appropriate code.

	G3903	234	Product/Service ID	Χ	AN	1/48	Must use	1
			Description: Identifying number for a product or service					
	G3908	65	Height	X	R	1/8	Used	1
			Description: Vertical dimension of an object measured when the object is in the upright position					
			Federal Note: Cite the number "1" to satisfy syntax requirements.					
	G3909	355	Unit or Basis for Measurement Code	Χ	ID	2/2	Used	1
			Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken					
			Federal Note: Use to identify the original unit of measure for the reported item.					
			DLMS Note: DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.					
	G3923	235	Product/Service ID Qualifier	Χ	ID	2/2	Used	1
			Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)					
			Federal Note: Use any code.					
			DLMS Note: For DLMS use only the					

Code Name

ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

following codes are authorized.

Use with G3902 code MG to uniquely identify a manufacturer's part number.

G3924 234 **Product/Service ID** X AN 1/48 Used 1

Description: Identifying number for a

product or service

19 Reference Identification

Pos: 151 Max: 10

Detail - Optional

Loop: 0310 Elements: 3

User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Syntax Rules:

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

Federal Note:

- 1. Must use at least one repetition to provide the transaction number.
- 2. May use a second repetition to provide new material identification.

Element Summary:

<u>ld</u>	Elem	ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
128	Refer	rence Identification Qualifier	M	ID	2/3	Must use	1
	Refer	ence Identification					
		•					
	MF, N	NS, S6, or XD to identify the new					
	Code	<u>Name</u>					
	11	Department of Defense Identification (Code (Do	DIC)			
		DLMS Note:					
		Use to identify ammunition items.					
	EQ	Equipment Number					
		DLMS Note:					
		1. Use to identify plant equipment.					
		2. DLMS enhancement. See introdu	ctory DLI	//S note 4a.			
	FQ	Form Number					
		DLMS Note:					
		1. Use to identify the form stock num	ber.				
		2. DLMS enhancement. See introdu	ctory DLI	//S note 4a.			
	MF	Manufacturers Part Number					
		DLMS Note:					
		Use to identify nonstandard material.					
	NS	National Stock Number					
		DLMS Note:					
		Must use the NSN when known.					
	S6	Stock Number					
		128 Refer Desc Refer Fede DLM3 MF, I mate. 2. Fo are a Code 11 EQ FQ MF	128 Reference Identification Qualifier Description: Code qualifying the Reference Identification Federal Note: Use any code. DLMS Note: 1. Use only one of 11, EQ, FQ, MF, NS, S6, or XD to identify the new material identification number. 2. For DLMS use, only the following codes are authorized. Code Name 11 Department of Defense Identification of DLMS Note: Use to identify ammunition items. EQ Equipment Number DLMS Note: 1. Use to identify plant equipment. 2. DLMS enhancement. See introdu FQ Form Number DLMS Note: 1. Use to identify the form stock num 2. DLMS enhancement. See introdu MF Manufacturers Part Number DLMS Note: Use to identify nonstandard material. NS National Stock Number DLMS Note: Must use the NSN when known.	Description: Code qualifying the Reference Identification Federal Note: Use any code. DLMS Note: 1. Use only one of 11, EQ, FQ, MF, NS, S6, or XD to identify the new material identification number. 2. For DLMS use, only the following codes are authorized. Code Name 11 Department of Defense Identification Code (Dol DLMS Note:	128 Reference Identification Qualifier M ID Description: Code qualifying the Reference Identification Federal Note: Use any code. DLMS Note: 1. Use only one of 11, EQ, FQ, MF, NS, S6, or XD to identify the new material identification number. 2. For DLMS use, only the following codes are authorized. Code Name 11 Department of Defense Identification Code (DoDIC) DLMS Note: Use to identify ammunition items. EQ Equipment Number DLMS Note: 1. Use to identify plant equipment. 2. DLMS enhancement. See introductory DLMS note 4a. FQ Form Number DLMS Note: 1. Use to identify the form stock number. 2. DLMS enhancement. See introductory DLMS note 4a. MF Manufacturers Part Number DLMS Note: Use to identify nonstandard material. NS National Stock Number DLMS Note: Must use the NSN when known.	Description: Code qualifying the Reference Identification Federal Note: Use any code. DLMS Note: 1. Use only one of 11, EQ, FQ, MF, NS, S6, or XD to identify the new material identification number. 2. For DLMS use, only the following codes are authorized. Code Name 11 Department of Defense Identification Code (DoDIC) DLMS Note: Use to identify ammunition items. EQ Equipment Number DLMS Note: 1. Use to identify plant equipment. 2. DLMS enhancement. See introductory DLMS note 4a. FQ Form Number DLMS Note: 1. Use to identify the form stock number. 2. DLMS enhancement. See introductory DLMS note 4a. MF Manufacturers Part Number DLMS Note: Use to identify nonstandard material. NS National Stock Number DLMS Note: Use to NSN when known.	Description: Code qualifying the Reference Identification Federal Note: Use any code. DLMS Note: 1. Use only one of 11, EQ, FQ, MF, NS, S6, or XD to identify the new material identification number. 2. For DLMS use, only the following codes are authorized. Code Name 11 Department of Defense Identification Code (DoDIC) DLMS Note: Use to identify ammunition items. EQ Equipment Number DLMS Note: 1. Use to identify plant equipment. 2. DLMS enhancement. See introductory DLMS note 4a. FQ Form Number DLMS Note: 1. Use to identify the form stock number. 2. DLMS enhancement. See introductory DLMS note 4a. MF Manufacturers Part Number DLMS Note: Use to identify nonstandard material. NS National Stock Number DLMS Note: Use to identify nonstandard material. NS National Stock Number DLMS Note: Must use the NSN when known.

1. Use to identify the publication stock number.

DLMS Note:

N902

N907-02

127

127

Must use

Used

Must use

Must use

1

1

Code Name

2. DLMS enhancement. See introductory DLMS note 4a.

TN Transaction Reference Number

DLMS Note:

1. Use to identify the transaction number for each transaction.

Χ

0

Μ

AN

Comp

ID

AN

1/30

2/3

1/30

2. DLMS enhancement; see introductory DLMS note 4a.

XD Subsistence Identification Number

DLMS Note:

Reference Identification

Use to identify subsistence items.

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification

Qualifier

N907 C040 Reference Identifier

Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Syntax:

P0304 - If either C04003 or C04004 is present, then the other is required.
 P0506 - If either C04005 or C04006 is

present, then the other is required.

N907-01 128 Reference Identification Qualifier

Description: Code qualifying the

Reference Identification

Federal Note: Use any code.

DLMS Note: For DLMS use only the following codes are authorized.

Code Name

W7 Commercial and Government Entity (CAGE) Code

DLMS Note:

Reference Identification

Use with N901 code MF to uniquely identify a manufacturer's part number.

M

Description: Reference information as defined for a particular Transaction Set or

as specified by the Reference Identification

Qualifier

004010F888I1IA03 16 November 6, 2008

MEA Measurements

Pos: 153 Max: 10
Detail - Optional
Loop: 0310 Elements: 3

User Option (Usage): Used

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

Syntax Rules:

- 1. R03050608 At least one of MEA03, MEA05, MEA06 or MEA08 is required.
- 2. C0504 If MEA05 is present, then MEA04 is required.
- 3. C0604 If MEA06 is present, then MEA04 is required.
- 4. L07030506 If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
- 5. E0803 Only one of MEA08 or MEA03 may be present.

Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Comments:

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Federal Note:

Use to identify the new unit of issue and associated conversion factor.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
MEA01	737	Measurement Reference ID Code	0	ID	2/2	Must use	1
		Description: Code identifying the broad category to which a measurement applies					
		Code Name					
		CF Conversion Factor					
		DLMS Note:					
		Use to identify the conversion factor a	associate	d with the r	new unit of issue.		
MEA03	739	Measurement Value	Χ	R	1/20	Must use	1
		Description: The value of the measurement Federal Note: 1. Use to identify the factor by which the old quantity must be multiplied to convert to the new unit of issue. 2. Express as a number with decimal positions.					
MEA04	C001	Composite Unit of Measure	Х	Comp		Must use	1
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use)					
MEA04-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use	1
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Federal Note: <i>Use to identify the new or</i>					
		corrected unit of issue for the reported item.					

ADC 77, 152, 295 and 307

DoD 4000.25-M

<u>Rep</u>

Ref Id Element Name

DLMS Note: *DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.*

<u>Req</u>

Type

Min/Max Usage

N1 Name

Pos: 156 Max: 1

Detail - Optional

Loop: 0311 Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

Federal Note:

- 1. Must use one iteration of this 2/N1/156 loop to identify the organization to receive the transaction.
- 2. Use additional iterations to identify other organizations associated with the transaction.

Element Summary:

Ref	<u>ld</u>	Elem	ent Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>	
N101	98	Entity	y Identifier Code	M	ID	2/3	Must use	1	
		orgar prope	Description: Code identifying an organizational entity, a physical location, property or an individual Federal Note: Use any code.						
			S Note: For DLMS use, only the ving codes are authorized.						
		<u>Code</u> KA	Name Item Manager						
			DLMS Note:						
			Use to indicate the corrected invento	ry manage	er associat	ed with the mater	ial.		
		SB	Storage Area						
			DLMS Note:						
		Use to identify the storage facility requiring data record changes.							
N103	66	ldent	ification Code Qualifier	Χ	ID	1/2	Must use	1	
		syste	ription: Code designating the m/method of code structure used for ification Code (67)						
		Code	<u>Name</u>						
		1	D-U-N-S Number, Dun & Bradstreet						
			DLMS Note:						
			DLMS enhancement; see introductor	y DLMS n	ote 4a.				
		9	D-U-N-S+4, D-U-N-S Number with Fou	ur Charact	er Suffix				
			DLMS Note:						
			DLMS enhancement; see introductor	y DLMS n	ote 4a.				
		10	Department of Defense Activity Address	ss Code (I	DODAAC)				
			DLMS Note:						
			DLMS enhancement; see introductor	y DLMS n	ote 4a.				
		M4	Department of Defense Routing Identif	fier Code	(RIC)				
			DLMS Note:						

Code Name

1. The RIC is retained in the DLMS to facilitate transaction conversion in a mixed DLSS/DLMS environment. Continued support of the RIC in a full DLMS environment will be assessed at a future date. Typically under the DLMS, the RIC will be replaced with a DoDAAC or a commercial identifier.

2. Future Streamlined data; see introductory DLMS note 4c.

N104	67	Identification Code	Х	AN	2/80	Must use	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Used	1

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

TO Message To

Federal Note:

Use with 2/N101/156 code SB to indicate the organization cited in N104 is receiving the transaction.

M Code Source Information

Pos: 180 Max: 1

Detail - Optional

Loop: 0313 Elements: 1

User Option (Usage): Must use

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Federal Note:

Must use the 2/LM/180 loop to identify coded information maintained in department or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	M	ID	2/2	Must use	1

Description: Code identifying the agency

assigning the code values

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 190 Max: 100

Detail - Mandatory

Loop: 0313 Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

Federal Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Must use	1

Description: Code identifying a specific

industry code list

Federal Note: Use any code.

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

93 Type of Storage Code

DLMS Note:

- 1. Use to identify the new item type storage code.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- A9 Supplemental Data

DLMS Note:

- 1. Use to identify supplemental address/data.
- 2. Future streamlined data; see introductory DLMS note 4c.
- AJ Utilization Code

DLMS Note:

- 1. Under DLSS, this is the first position of the document serial number.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- EF Correction or Change for Storage Item Records Code

DLMS Note:

Use to identify the type of change associated with the transaction.

EQ Controlled Inventory Item Code

DLMS Note:

Use to identify the new controlled inventory item code.

FD Demilitarization Code

DLMS Note:

Use to identify the new demilitarization code.

FE Shelf Life Code

DLMS Note:

Use to identify the new shelf life code.

FG Source Maintenance and Recoverability Code

DLMS Note:

- 1. Use to identify the new Source Maintenance and Recoverability (SMR) code.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- GQ Group Qualifier Code

1

Must use

Code Name

DLMS Note:

Use to identify the MMAC for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC-Materiel Management Aggregation code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

COG Cognizance Symbol

DLMS Note:

Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

IMC Item Management Code

DLMS Note:

Use to identify the Item Management Code (IMC) for integrated material management. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

MCC Material Control Code

DLMS Note:

Use to identify the Material Control Code (MCC) for special inventory reporting. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

SMI Special Material Identification Code

DLMS Note:

Use to identify the Special Material Identification Code (SMIC) for an end item. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.

LQ02 1271 **Industry Code** X AN 1/30

Description: Code indicating a code from

a specific industry code list

Transaction Set Trailer

Pos: 200 Max: 1
Detail - Mandatory
Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use	1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Federal Note: Cite the same number as the one cited in ST02.					